



A study of Digital(binary) operation of a system

VIJAY KUMAR

NET-JRF, Ph.D SCHOLAR

BABA MASTNATH UNIVERSITY,

ASTHAL BOHAR, ROHTAK- 124021(HARYANA)

Abstract

The manipulation and processing of data in a computer or electronic system utilising binary numbers, also known as bits, which can only take on the values 0 or 1, is referred to as digital operation, also known as binary operation. These bits are used to process and represent information in a variety of formats, such as text, numbers, graphics, and audio. One of the first and most important uses of digital technology was the creation of the digital computer, which employed binary digits to conduct mathematical calculations and process information. This application was one of the most significant applications of digital technology (David Money Harris and Sarah L. Harris 2012). Since that time, digital technology has been implemented in a diverse set of domains, including but not limited to the fields of telecommunications, media, healthcare, and finance. In addition to the realm of computers, many other aspects of life, such as entertainment, education, and communication, have been revolutionised as a result of the rise of digital technology. For instance, people's access to and consumption of media has been fundamentally altered by the advent of digital music and movies, whilst the proliferation of online learning platforms has made education more readily available and adaptable.

Keywords: Binary tree, Demultiplexer, Microcontroller, Digital input/output (I/O), Binary arithmetic

Introduction

In our day and age, when computers and other forms of technology play an increasingly important role in our lives, digital or binary operation has emerged as an essential component of many different kinds of electronic systems. The advent of digital technology has brought about profound changes in the ways in which we communicate, do our jobs, and engage with one another. Additionally, it has changed a variety of sectors, including the medical field, the



financial sector, the entertainment industry, and the media. A digital operation, also known as a binary operation, refers to the manipulation and processing of data via the use of binary digits, also known as bits, which can only take on the values 0 or 1. These bits are used to process and represent information in a variety of formats, such as text, numbers, graphics, and audio. This method of processing data is distinct from analogue operation, which makes use of continuous signals to represent information and is hence distinguishable from that method. One of the first and most important uses of digital technology was the creation of the digital computer, which employed binary digits to conduct mathematical calculations and process information. This application was one of the most significant applications of digital technology. Since then, digital technology has found usage in a broad variety of domains, including telecommunications, the storage and analysis of data, and data storage. “Entertainment, education, and communication are just few of the many facets of life that have been significantly altered as a result of the proliferation of digital technology. published in 1996 by John G. Proakis and Dimitris G. Manolakis For instance, people's access to and consumption of media has been fundamentally altered by the advent of digital music and movies, whilst the proliferation of online learning platforms has made education more readily available and adaptable. However, the extensive use of digital technology has also given rise to concerns over issues of privacy and security, in addition to worries about the effect that technology has on society. The usage of digital technology has both social and ethical repercussions, which must be taken into consideration as the technology continues to advance.

The advent of digital technology has resulted in the introduction of several modifications to the manner in which we engage with the physical environment. The notion of digital operation, sometimes known as binary operation, has developed into a basic concept that sits at the heart of many different electronic systems, including but not limited to computers, smartphones, digital cameras, and other smart home gadgets. New methods of media and communication have emerged as a direct result of the proliferation of digital technology, such as instant messaging, video conferencing, and social media platforms. It has also changed the way we acquire and consume information since digital platforms now provide quick access to large amounts of data. This change has been brought about by the internet. Numerous sectors have been profoundly altered by the introduction of digital technology, including the medical and



financial sectors as well as the entertainment and media industries. For example, digital health technologies have increased the efficiency and efficacy of healthcare services, whilst digital payment systems have made financial transactions quicker and more convenient. Both of these developments are the result of the widespread use of digital technology. (2013) David A. Patterson and John L. Hennessy Despite the many advantages that digital technology has to offer, its widespread usage has given rise to a number of worries about issues of privacy and security, as well as the effect that it has on social and economic disparities. The development of digital technology has resulted in the capture and storing of enormous quantities of personal data, which leaves such databases open to the possibility of being breached or attacked by malicious software. In addition, there are fears that the use of digital technology may make preexisting inequalities, such as access to digital resources and the digital divide, even worse.

- Digital systems use a fixed number of bits to represent data, typically 8, 16, 32, or 64 bits. The number of bits determines the range of values that can be represented and the precision of the data.
- Digital systems can be designed to operate in parallel, allowing for faster processing of large amounts of data. This is in contrast to analog systems, which typically process signals sequentially.
- Digital signals can be transmitted over long distances without degradation or interference, as long as the signal is properly encoded and decoded at each end.
- Digital systems are generally more immune to noise and interference than analog systems, as noise and interference can be filtered out using digital signal processing techniques.
- The use of binary code in digital systems allows for easy storage and retrieval of data using digital memory devices such as hard drives and solid-state drives.
- Digital systems can be programmed to perform a wide range of tasks, from simple arithmetic operations to complex data analysis and decision-making.
- Digital systems can be easily replicated and scaled up, allowing for mass production of digital devices and systems at a relatively low cost.

An operation known as binary needs two inputs in order to be performed. These parameters are referred to as operands. Each of the four operations that make up binary computation—



addition, multiplication, and subtraction—is performed on two operands. Even when we add any three binary values, we will first add up the results of adding the first two numbers, and then we will add the third number to the sum of the first two numbers. As a consequence of this, the mathematical operations that are performed with the two integers are referred to as binary operations.

Binary Operation?

Any two components of a set may be joined together using the binary operation. The outcomes of performing operations on binary integers are always part of the same set. Let's call the set of numbers that will be used to execute binary operations X. The operations will be performed on these numbers. We will now carry out binary operations such as addition, subtraction, multiplication, and division on two sets (a and b) derived from the set X". These operations will be performed using the set X as the base (Ronald Tocci, Neal Widmer, and Greg Moss 2007). The other element that will be a part of the set X will be the product of the operation (a and b), which will provide that outcome. In light of this, the binary operation is described as an operation that is carried out on set X. This function may be obtained by multiplying A by A twice. As a result, the binary operation * “that is carried out on the operands a and b is denoted by the symbol a*b.

Binary Operation Examples

Input A	Input B	Subtract (S) A-B	Borrow (B)
0	0	0	0
0	1	1	1
1	0	1	0
1	1	0	0

Let's get a grasp on how the addition of binary digits works with natural and real numbers. If we add two operands that are natural numbers like x and y, the outcome of this operation will also be a natural number. This is because the result of adding natural numbers is the same as the operands. The same logic applies to actual numerical values as well.

$$+: \mathbb{R} + \mathbb{R} \rightarrow \mathbb{R} \text{ is derived by } (x, y) \rightarrow x + y$$



$$+: \mathbb{N} + \mathbb{N} \rightarrow \mathbb{N} \text{ is derived by } (x, y) \rightarrow x + y$$

Let's get a grasp on binary multiplication as it relates to natural and real numbers. The product of an operation in which both operands are natural numbers, such as x and y , will likewise be a natural number if the operation is performed using those operands. The same logic applies to actual numerical values as well.

$$+: \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R} \text{ is derived by } (x, y) \rightarrow x \times y$$

$$+: \mathbb{N} \times \mathbb{N} \rightarrow \mathbb{N} \text{ is derived by } (x, y) \rightarrow x \times y$$

Let's have a better understanding of the binary subtraction operation applied to natural numbers and real numbers. If we subtract two operands that are real numbers like x and y , the output of this operation will also be a natural number. These operands may be thought of as natural numbers. The same rule does not apply to natural numbers because if we take two numbers such as x and y and conduct binary subtraction on it, then the result will not be in real numbers. This is because the result will not be in real numbers if we do binary subtraction on it.

As an example, $= 3-4 = -1$ (-1 is not a real number)

Hence,

$$-: \mathbb{R} - \mathbb{R} \rightarrow \mathbb{R} \text{ is derived by } (x, y) \rightarrow x - y$$

Let's have a better understanding of the binary subtraction operation applied to natural numbers and real numbers. If we subtract two operands that are real numbers like x and y , the output of this operation will also be a natural number. These operands may be thought of as natural numbers. The same rule does not apply to natural numbers because if we take two numbers such as x and y and conduct binary subtraction on it, then the result will not be in real numbers. This is because the result will not be in real numbers if we do binary subtraction on it.

As an example, $= 3-4 = -1$ (-1 is not a real number)


For example: $1 \div 0 = 0$ (0 is not a real number)

Hence, $\div : \mathbb{R} \div \mathbb{R} \rightarrow \mathbb{R}$ is derived by $(x, y) \rightarrow x \div y$

Binary Operation Types


Calculating binary operations such as binary addition, binary subtraction, binary multiplication, and binary division is accomplished in a manner that is analogous to the manner in which numeric arithmetic operations are accomplished. The following are the four distinct kinds of binary operations:

- Binary Addition
- Binary Subtraction
- Binary Multiplication
- Binary Division.



Logic Circuits

In order to do their tasks in an expedient and cost-effective manner, digital computers, telephones, and industrial electronic control systems all make use of intricate switching circuits.



Considering a single switch, it has an off state and an on the state.

The creation of complex digital systems that are controlled by logical instructions may be accomplished by combining several switches in various configurations. Because of these



systems, we are able to turn on a certain switch only after satisfying a predetermined set of requirements. According to John F. Wakerly (2010), these systems are often very intricate, making it impossible to organise, design, or build them based just on observation or intuition. In order to design and assemble these systems, a methodical research that takes into account certain logical principles is required. This is due to the fact that multiple logical requirements must regulate switching. The Boolean algebra, which was named after the English logician and mathematician George Boole who developed it, is the most effective instrument for designing efficient switching systems and analysing the operating characteristics of such systems.

Boolean algebra is the theoretical underpinning of how computers work. The study of variables that can only take on one of two possible values—either one or zero—is the focus of Boolean algebra. The on and off states of an electrical or electronic circuit are correspondingly represented by these values. Various logic graphs and diagrams augment Boolean algebra (Jean-Pierre Deschamps, Gustavo D. Sutter, and Enrique Cantó (2017)). The Karnaugh diagrams and the Venn diagrams are two examples of these kinds of diagrams. They provide a graphical depiction of various switching states and are of tremendous help in the design of efficient switching systems.

Understanding Digital (Binary) Operation

- The amplitude of analogue signals changes as a function of time, taking on any value within the range of two predicted extremes (the maximum and the lowest).
- Digital signals are limited to accepting just a set of predetermined discrete values.
- The decimal number system uses radix 10, which consists of ten distinct digits or symbols to represent numbers.
- Binary is the representation system used in digital electronics.
- 0 and 1 are the only two digits that are used in the binary number system, which is a radix-2 system. The representation of binary integers is done using the digits 0 and 1.
- The binary variables may either be in the logic 1 state or the logic 0 state, which can be represented by two different levels of voltage or two different amounts of current.
- The voltage or current level that is more positive in a system that uses positive logic indicates a logic 1, whereas the level that is less positive represents a logic 0 in that system.



- In a system that uses negative logic, the voltage or current level that is more positively charged indicates a logic 0, whereas the level that is less positively charged represents a logic 1.
- The mathematics of logic was first developed by George Boole, who also reduced it to a binary notation consisting of the numbers 0 and 1. This laid the groundwork for the functioning of current digital computers..

Conclusion

The binary system is the basis of contemporary computing because it enables data to be represented, stored, and processed in an effective manner. The manipulation of binary signals by means of logic gates is required for the operation of digital circuits, which are controlled via Boolean logic. Combining digital circuits together enables the creation of increasingly complicated circuits, such as those found in processors, memory units, and communication interfaces. (Jan M. Rabaey, Anantha P. Chandrakasan, and Borivoje Nikolic 2002) Software is a collection of instructions that specifies the actions that are to be done on binary data. Digital circuits may be controlled using software, and software is defined as the aforementioned definition". Digital circuits are used in a diverse selection of fields and applications, including but not limited to consumer electronics, transportation, healthcare, and telecommunications. In the discipline of digital signal processing, the manipulation and analysis of digital signals including audio, video, and pictures is accomplished by the use of mathematical algorithms. The advent of digital technology has had a profound impact on many facets of contemporary life, including the speed of communication, the ability to automate chores, and the availability of large quantities of information.

References

1. Digital Technology by Eds. James D. Wright and Amanda Porterfield. The International Encyclopedia of the Social & Behavioral Sciences. Elsevier, 2015. <https://www.sciencedirect.com/referencework/9780080970875/international-encyclopedia-of-the-social-behavioral-sciences>



2. Digital Operations by Geir Engdahl, et al. The Routledge Companion to Management Information Systems. Routledge, 2018. <https://www.routledge.com/The-Routledge-Companion-to-Management-Information-Systems-1st-Edition/Avgerou-Larsen-Perry/p/book/9781138014188>
3. The Impact of Digital Technology on Society and Economy by Manuel Castells. World Economic Forum, 2016. <https://www.weforum.org/agenda/2016/01/the-impact-of-digital-technology-on-society-and-economy/>
4. Digital Design and Computer Architecture by David Money Harris and Sarah L. Harris (2012). This book provides an introduction to digital design and computer architecture, including topics such as logic gates, memory systems, and processor design.
5. Digital Signal Processing: Principles, Algorithms and Applications by John G. Proakis and Dimitris G. Manolakis (1996). This book provides a detailed introduction to digital signal processing and covers topics such as signal analysis, filtering, and transformation.
6. Computer Organization and Design: The Hardware/Software Interface by David A. Patterson and John L. Hennessy (2013). This textbook provides a comprehensive introduction to computer architecture and covers topics such as digital logic, instruction sets, and memory hierarchy.
7. Digital Systems: Principles and Applications by Ronald Tocci, Neal Widmer, and Greg Moss (2007). This textbook provides an introduction to digital systems and covers topics such as logic gates, memory devices, and digital signal processing.
8. Digital Systems Engineering by William J. Dally and John W. Poulton (1998). This book provides a detailed introduction to digital systems engineering, including topics such as design methodology, system modeling, and hardware/software co-design.
9. The Proceedings of the International Conference on Digital Signal Processing (ICDSP), with the latest conference proceedings from 2021. This annual conference focuses on digital signal processing and covers topics such as signal processing algorithms, real-time systems, and multimedia signal processing.
10. The Journal of Digital Information Management, with articles published since 2003. This journal publishes research papers and articles on digital information management, including topics such as digital libraries, digital archives, and digital preservation.



11. Digital Electronics: Principles, Devices and Applications by Anil K. Maini (2007). This book provides a comprehensive introduction to digital electronics and covers topics such as digital circuits, logic families, and digital communication.
12. Digital Logic and Computer Design by M. Morris Mano (1979). This classic textbook provides an introduction to digital logic design and covers topics such as Boolean algebra, combinational circuits, and sequential circuits.
13. Digital Systems Design Using VHDL by Charles H. Roth Jr. and Lizy Kurian John (1998). This book provides an introduction to digital system design using the VHDL hardware description language.
14. Digital Design: Principles and Practices by John F. Wakerly (2010). This textbook provides an introduction to digital design and covers topics such as logic gates, memory systems, and processor design.
15. Digital Systems: From Logic Gates to Processors by Jean-Pierre Deschamps, Gustavo D. Sutter, and Enrique Cantó (2017). This book provides a detailed introduction to digital systems, including topics such as logic gates, arithmetic circuits, memory systems, and processor design.
16. Digital Integrated Circuits: A Design Perspective by Jan M. Rabaey, Anantha P. Chandrakasan, and Borivoje Nikolic (2002). This textbook provides a comprehensive introduction to digital integrated circuit design, including topics such as logic gates, memory systems, and processor design.
17. Digital Image Processing by Rafael C. Gonzalez and Richard E. Woods (2008). This book provides an introduction to digital image processing and covers topics such as image acquisition, image enhancement, image restoration, and image compression.
18. Digital Communications: Fundamentals and Applications by Bernard Sklar (2001). This book provides a comprehensive introduction to digital communication systems and covers topics such as modulation, demodulation, channel coding, and error control.
19. Introduction to Digital Systems by Ercegovic and Lang (2004). This textbook provides an introduction to digital systems and covers topics such as logic gates, combinatorial circuits, sequential circuits, and computer organization.



20. Digital Electronics: A Practical Approach by William Kleitz (2004). This book provides a practical introduction to digital electronics and covers topics such as logic gates, memory devices, and digital signal processing.
21. Digital Signal Processing: A Practical Approach by Emmanuel C. Ifeachor and Barrie W. Jervis (2001). This book provides a practical introduction to digital signal processing and covers topics such as signal acquisition, signal analysis, signal filtering, and signal compression.
22. Digital Systems Design and Prototyping Using Field Programmable Logic and Hardware Description Languages by Zoran Salcic and Rainer Doemer (2000). This book provides an introduction to digital system design using field programmable logic and hardware description languages such as VHDL and Verilog.